



RIGHT HUMIDITY ON DEMAND

PROFESSIONAL DEHUMIDIFIERS



 **FRAL**
RIGHT HUMIDITY ON DEMAND

EFFICIENT - RELIABLE - DURABLE

Professional Portable Dehumidifiers with strong metal case and requirements: drying of new buildings, water damage restoration

FDN **33-44**

Light, handy and efficient

MAIN FEATURES

- Strong metal case
- Moisture removal: up to 33 and 44 litres/day
- Weight: 36 and 39 kg
- Dimensions WDH: 350x370x650 mm
- Electronic Thermostatic Control
- Hot gas defrost
- Lifting pump or water tank
- Hour counter
- Big wheels
- Round non-finned pipe evaporator
- Filter
- Low energy consumption
- Fittings for draining pipe

APPLICATIONS

- Drying of new building
- Rental market
- Small stores
- Basements
- Water damage restoration
- Food, wood and paper stores and industries



DURABLE - ENERGY SAVING

metal case for any capacity
damage restoration, etc.

SUPERDRYER **44-62-96**

Heavy duty portable dryers

MAIN FEATURES

- Strong metal case without screws
- Capacity: up to 44, 62 and 96 liters/day
- Weight: kg 46, 48, 58
- Dimensions WDH:
SUPERDRYER 44-62: 530x600x930 mm
SUPERDRYER 96: 630x600x950 mm
- Electronic Thermostatic Control
- Hot gas defrost
- Lifting pump or water tank
- Hour counter
- Big wheels
- Round, non-finned evaporator
- Low energy consumption
- Fittings for draining pipe

APPLICATIONS

- Drying of new buildings
- Rental market
- Small stores
- Shop and industries
- Basements



PROFESSIONAL MOVABLE DEHUMIDIFIERS

for easy handling in the same room

Professional dehumidifiers, generally equipped with small wheels for easy handling in the same room. Four strong models with metal case meeting any requirements for small and big museum halls, libraries, archives, data processing centres, stores and shops, sports facilities centres, locker rooms, beauty and physiotherapeutic centres.

FDA

32-44-62-96

Heavy duty portable dryers

MAIN FEATURES

- Moisture Removal: 32-44-62-96 liters/day
- Weight: kg 33-35-46-56 Kg
- Dimensions WDH:
FDA32-44: 360x375x735 mm
FDA62: 420x405x770 mm
FDA96: 520x440x830 mm
- Electronic Thermostatic Control
- Hot gas defrost
- Water tank
- Hour counter
- Filter
- Big wheels
- Round, non-finned evaporator
- Low energy consumption
- Fittings for draining pipe

APPLICATIONS

- Museum
- Libraries
- Archives
- Data processing centres
- Stores and shops
- Sports facilities centres
- Wellness centres
- Locker rooms

